Notice of Allowability	Application No.	Applicant(s)
	10/728,481	KAY ET AL.
	Examiner	Art Unit
	Jeff Natalini	2858
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 3/9/07</u> .		
2. The allowed claim(s) is/are <u>1-17</u> .		
 3.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
·		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendn	e nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/728,481 Page 2

Art Unit: 2858

DETAILED ACTION

Drawings

The drawings are objected to because they contain handwritten writing. In order to make them easier to read, please type all labels. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

Claims 1-17 are allowed.

In regard to claim 1, the prior art does not teach or render obvious performing a visual comparison at the selected test point by adjusting the display input value of the test point until a perceptual match is made between the displayed test point and the displayed visual test pattern, accepting an adjusted test point as a new known control point, and repeating steps 2 through 7 at least one for further refinement of the approximating spline and in the combination as claimed.

Claims 2-17 make claim 1 more specific and are also allowable.

Other pertinent prior art includes:

Opsal et al. (20040122599) discloses an apparatus for using a spline algorithm that has multiple control points for controlling the curves of a grating profile.

Ide et al. (5933549) discloses a method and apparatus for image editing using key frame image control data. Users control points from the first interpolation as control points in the second interpolation.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeff Natalini whose telephone number is 571-272-2266. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached on 571-272-2168. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/728,481 Page 4

Art Unit: 2858

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jeff Natalini

ANJAN DEB PRIMARY EXAMINER